

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		((analyz\$4 or test\$4 or read\$4) near5 (configurat\$4 adj3 file\$2)) same (object\$2) adj3 available\$2)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/09 14:08
S1	20223158	@ad<"20001130" or @rlad<"20001130"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 20:06
S2	1214	(configurat\$4 adj3 (file\$2 or data\$2 or object\$2 or content\$2)) same ((file\$2 or data\$2 or object\$2 or content\$2) adj3 available\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 20:08
S3	611	S1 and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 20:08
S4	93	S3 and ((web\$1site\$2 or site\$2 or web\$2 or web\$1page\$2) adj3 server\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 20:10
S5	196	(configurat\$4 adj3 (file\$2 or object\$2)) near5 ((file\$2 or content\$2 or data\$2 or object\$4) adj3 available\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 20:11
S6	11	S5 and S1 and (web\$6 adj4 server\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 20:12
S7	20223575	@ad<"20001130" or @rlad<"20001130"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB.	OR	OFF	2006/02/09 08:55
S8	2605	(read\$4 adj3 configurat\$4 adj3 (file\$2 or data\$2 or object\$2 or content\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 08:56
S9	42	(read\$4 adj3 configurat\$4 adj3 (file\$2 or data\$2 or object\$2 or content\$2)) same (available\$2 near3 (file\$2 or data\$2 or object\$2 or content\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 09:01

S10	28	S7 and S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 08:57
S11	4	S10 and (web\$6 near5 server\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 08:57
S12	8	S10 and ((web\$6 near5 server\$2) or web\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 08:57
S13	1644	(configurat\$4 adj3 (file\$2 or data\$2 or object\$2 or content\$2)) same (available\$2 near3 (file\$2 or data\$2 or object\$2 or content\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 09:02
S14	769	(configurat\$4 adj3 (file\$2 or data\$2 or object\$2 or content\$2)) near6 (available\$2 near3 (file\$2 or data\$2 or object\$2 or content\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 09:04
S15	372	S14 and S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 09:02
S16	3676	(configurat\$4 adj3 (file\$2 or data\$2 or object\$2 or content\$2)) near5 form\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 09:04
S17	8	(configurat\$4 adj3 (file\$2 or data\$2 or object\$2 or content\$2)) near5 form\$4 near5 HTML\$2 near5 web\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 09:04
S18	4	S17 and S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 09:05
S19	5	("5870559"   "5958008"   "6003143"   "6012087"   "6185701").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/09 09:07
S20	8957	determin\$4 near5 (object\$2 or data\$2 or file\$2 or content\$2) near4 available\$2	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/09 09:08

S21	4271	determin\$4 adj5 (object\$2 or data\$2 or file\$2 or content\$2) adj4 available\$2	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/09 09:11
S22	26	(determin\$4 adj5 (object\$2 or data\$2 or file\$2 or content\$2) adj4 available\$2) same (configurat\$4 adj3 (file\$2 or data\$2 or object\$2))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/09 09:21
S23	10	S22 and S7	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/09 09:13
S24	169	(determin\$4 adj5 (object\$2 or data\$2 or file\$2 or content\$2) adj4 available\$2) same (web\$6 or (web\$6 adj3 server\$2))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/09 09:22
S25	89	S24 and S7	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/09 09:22
S26	13	S25 and (configurat\$4 adj4 (file\$2 or object\$2 or XML\$2 or form\$2 or content\$2 or data\$2))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/09 14:02
S27	0	((analyz\$4 or test\$4 or read\$4) adj3 configurat\$4 adj3 file\$2) near6 ((object\$2 or URL\$2 or link\$2 or pre\$1ferenc\$4) adj3 available\$2)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/09 14:04
S28	20223575	@ad<"20001130" or @rlad<"20001130"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 14:04
S29	3	((analyz\$4 or test\$4 or read\$4) adj3 configurat\$4 adj3 file\$2) same ((object\$2 or URL\$2 or link\$2 or pre\$1ferenc\$4) adj3 available\$2)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/09 14:06
S30	2	S28 and S29	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/09 14:05
S31	3	((analyz\$4 or test\$4 or read\$4) near5 (configurat\$4 adj3 file\$2)) same ((object\$2 or URL\$2 or link\$2 or pre\$1ferenc\$4) adj3 available\$2)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/09 14:08
S32	1	S31 not S30	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/09 14:07
S33	0	S32 and S28	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/09 14:07

S34	2	((analyz\$4 or test\$4 or read\$4) near5 (configurat\$4 adj3 file\$2)) same (object\$2 adj3 available\$2)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/09 14:08
S35	3	((analyz\$4 or test\$4 or read\$4) near5 (configurat\$4 adj3 file\$2)) same (object\$2 near3 available\$2)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/09 14:11
S36	1	S34 and S28	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/09 14:09
S37	1	S35 and S28	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/09 14:10
S38	46	(configurat\$4 adj3 file\$2) same (object\$2 near3 available\$2)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/09 14:11
S39	5	(configurat\$4 adj3 file\$2) near5 (object\$2 near3 available\$2)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/09 14:11
S40	26	S38 and S28	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/09 15:28
S41	2	S39 and S28	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/09 14:11
S42	5755	((web\$6 adj3 (site\$2 or page\$2)) or HTML\$2 or XML\$2) AND (configurat\$4 adj3 (file\$2 or object\$2))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/09 15:29
S43	1389	((web\$6 adj3 (site\$2 or page\$2)) or HTML\$2 or XML\$2) same (configurat\$4 adj3 (file\$2 or object\$2))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/09 15:29
S44	20223575	@ad<"20001130" or @rlad<"20001130"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 15:30
S45	438	S43 and S44	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 15:30
S46	247	S45 and ((markup\$2 or HTML\$2 or language\$2) near4 form\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 18:01

S47	457	(configurat\$4 near3 XML\$2 near3 file\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 18:03
S48	20223575	@ad<"20001130" or @rlad<"20001130"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 18:02
S49	48302	(ibm\$2 or IBM\$2).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 18:02
S50	53	S47 and S48	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 18:02
S51	53	S50 not S49	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 18:03
S52	102	(configurat\$4 near3 XML\$2 near3 file\$2) same form\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 18:04
S53	11	S52 and S48	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 18:04
S54	11	S53 not S49	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 18:06
S55	1	(dy\$1namic\$3 near4 form\$2) and (configurat\$4 near3 XML\$2 near3 file\$2) and S48	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 18:11
S56	180	(dy\$1namic\$3 near4 form\$2) and (configurat\$4 near3 file\$2) and S48	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 18:13

S57	27	(dy\$1namic\$3 near4 form\$2) and ((configurat\$4 near3 file\$2) same available\$2) and S48	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 18:14
S58	25	("5394522"   "5475819"   "5495607"   "5734831"   "5774660"   "5774668"   "5857102"   "5870550"   "5956489"   "5974462"   "5996012"   "6026438"   "6052719"   "6061349"   "6061713"   "6092096"   "6098067"   "6098097"   "6105063"   "6119170"   "6128016"   "6170017"   "6219700"   "6279001"   "6324690").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/09 18:47
S59	8	(XML\$2 near3 configurat\$4 near3 file\$2) same ((status\$2 or available\$2) near4 (object\$2 or data\$2 or file\$2))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/09 18:50
S60	1	S59 and S48	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/09 18:49
S61	960	(configurat\$4 near3 file\$2) same ((status\$2 or available\$2) near4 (object\$2 or data\$2 or file\$2))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/09 18:55
S62	2843	(configurat\$4 near3 (object\$2 or data\$2 or file\$2)) same ((status\$2 or available\$2) near4 (object\$2 or data\$2 or file\$2))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/09 18:51
S63	1572	S62 and S48	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/09 18:51
S64	148	S63 and (HTML\$2 or XML\$2)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/09 18:51
S65	55	(XML\$2 NEAR4 configurat\$4 near4 file\$2) AND S48	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/09 19:08
S66	19	S65 AND (HTML\$2 NEAR5 form\$2)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/09 18:57
S67	24413	XML\$2 and (add\$4 or delet\$4 or updat\$4 same (form\$2 and row\$4))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/09 19:09

S68	18307	XML\$2 and ((add\$4 or delet\$4 or updat\$4 same (form\$2 and row\$4))) AND ((status\$2 or available\$2) same (object\$2 or data\$2 or file\$2))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/09 19:10
S69	4385	S68 and S48	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/09 19:11
S70	4009	S69 and web\$6	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/09 19:11
S71	4007	S70 not S49	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/09 19:11

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	163	xml same available same server and @ad<"20001130"	US-PGPUB; USPAT	OR	ON	2006/02/10 10:31
L4	88	xml same (object application appliance) same available same server and @ad<"20001130"	US-PGPUB; USPAT	OR	ON	2006/02/10 10:31
L5	22	xml same (object application appliance) same available same server and button and @ad<"20001130"	US-PGPUB; USPAT	OR	ON	2006/02/10 10:32
L6	340	configur\$5 same (object application appliance) same available same server and button and @ad<"20001130"	US-PGPUB; USPAT	OR	ON	2006/02/10 10:35
L11	56	configur\$5 adj (file data information) same (object application appliance) same available same server and button and @ad<"20001130"	US-PGPUB; USPAT	OR	ON	2006/02/10 10:35
L12	55	configur\$5 adj (file data information) same (object application) same available same server and button and @ad<"20001130"	US-PGPUB; USPAT	OR	ON	2006/02/10 10:35
L13	16	configur\$5 adj (file data information) same (object application) same available same server and button and (page form) with (element component)and @ad<"20001130"	US-PGPUB; USPAT	OR	ON	2006/02/10 10:37
L14	14	configur\$5 adj (file data information) same (object application) same available same server and button and (page form) with (element component)and (internet www web\$6) and @ad<"20001130"	US-PGPUB; USPAT	OR	ON	2006/02/10 10:39
L15	5	(read\$3 monitor\$3 filter\$3) same configur\$5 adj (file data information)same (object application) same available same server and button and (page form) with (element component)and (internet www web\$6) and @ad<"20001130"	US-PGPUB; USPAT	OR	ON	2006/02/10 10:40